

BASIC 160M



De **BASIC 160M** is een manueel hydraulische spiegellasmachine, geschikt voor het lassen van drukleidingsystemen. De machine is gebouwd volgens de internationale normen (UNI 10565, ISO 12176-1).

Standaard samenstelling:

- Een machine-slede, hydraulische slangen met snelkoppelingen.
- Een stuurkast. Deze bevat een hendel om de klemmen te bedienen (open-dicht), drukaflaat + drukregelventiel (ook bruikbaar voor het "dual pressure" lasproces), een analoge aflezing van de druk (Manometer).
- Een Steun met Vlakschaaf en Lasspiegel met isolatie zak (HP).
- Set reductie schalen (Inserts) van \varnothing 40 – 160mm
- Gereedschaps zak met Handleiding, Lastabellen, Manuele Timer. – Gereedschap
- 1 set reserve schaaf messen.

The **BASIC 160M** is a manual hydraulic mirror welding machine suitable for welding pressure piping systems. The machine built according to international standards (UNI 10565, ISO 12176-1).

Standard composition:

- A machine carriage, hydraulic hoses with quick connectors.
- A steering box. The control box contains a lever to operate the clamps (open-close), pressure relieve + pressure control valve (also usable for the "dual pressure" welding process), an analogue reading of the pressure (Manometer).
- A Support with planer and welding mirror with insulation bag (HP).
- Set of reduction (Inserts from \varnothing 40 - 160mm)
- Tool bag with Manual, Welding tables, Manual Timer. - Tools
- 1 set of spare planer blades.

La **BASIC 160M** est une machine à souder manuelle hydraulique à miroir pour soudage des tuyauterie de pression. La machine est construite conformément aux normes internationales (UNI 10565, ISO 12176-1).

Composition standard:

- Un traîneau de machine avec cadre, des tuyaux hydrauliques avec connecteurs rapides.
- Un Boîtier de commande. Le boîtier de commande contient un levier pour actionner les mâchoire (ouverture-fermeture), une vanne de relache de pression + une vanne de réglage de pression (utilisable également pour le soudage "double pression"), une lecture analogique de la pression (manomètre).
- Un support avec raboteuse et miroir de soudage avec sac d'isolation (HP)
- Jeu de réduction (Inserts) de \varnothing 40 - 160mm
- Sac à outils avec manuel, tables de soudage, minuterie manuelle. - Outils
- 1 jeu de lames de rabot de réserve.

Options

Machine Toebehoren - Machine Accessoires - Accessoire pour Machine.

| | | |
|----------|------------------|--------|
| FTOOL160 | FLANGE TOOL D160 | 1,8 kg |
|----------|------------------|--------|

Electrische Toebehoren - Electrical Accessories - Accessoires Electriques.

| | | |
|---------------|--|--|
| CBOX-230V-16A | Electrical Connections Box 16A 230V Input: 1x 230V CEE 16A 2P+T. Output: 3 x 230V CEE 16A 2P+T 1 x 230V Schuko 16A 2P | |
|---------------|--|--|

| | | |
|-----------------|--|--|
| VKABEL-230V-16A | Electrical Extension cable 230V CEE 16A-6h - 2P+T 25 MTR H07RN-F 3G2,5 | |
|-----------------|--|--|

| | | |
|-------------------|---|--|
| VKABEL-230V-16A-S | Electrical Extension cable 230V CEE 16A-6h - 2P+T to SCHUKO 5 MTR H07RN-F 3G2,5 | |
|-------------------|---|--|

Las Rapportage - Welding Reporting - Rapportage de Soudure.

| | | |
|--------------|--|--|
| INSPECTOR-01 | DATA-LOGGER "THE INSPECTOR" -(230V-1~) -Schuko Plug - Incl: Battery charger W. bag | |
|--------------|--|--|

| | | |
|-----------------|---|--|
| INSPEC-CABLE010 | INSPECTOR CONNECTION CABLES for 160-355 | |
|-----------------|---|--|

Buis Rollen - Pipe Rollers - Rouleaux pour Tubes.

| | | |
|-----------|------------------------------------|-----------|
| ROLLER355 | ROLLER 355 for pipes up to Ø 355mm | 7,6 kg/pc |
|-----------|------------------------------------|-----------|

| | | |
|-------------|--------------------------------------|------------|
| PIPELIFT315 | PIPELIFT 315 for pipes up to Ø 315mm | 22,0 kg/pc |
|-------------|--------------------------------------|------------|

Buis Afwerkings Gereedschappen - Pipe Finishing Tools - Outils de Finition de Tuyaux.

| | | |
|-----------|--|--------|
| RID90-110 | RID INTERNAL DEBEADER HEAD 90 - 110 mm With Spare Cutting Blade. | 2,0 kg |
|-----------|--|--------|

| | | |
|------------|---|--------|
| RID125-160 | RID INTERNAL DEBEADER HEAD 125 - 160 mm With Spare Cutting Blade. | 4,0 kg |
|------------|---|--------|

| | | |
|-----------|--|---------|
| RIDBARSET | BARS ALUMINIUM ALLOY 6 pcs - 2,15 mtr - for RID with Transport BAG | 16,0 kg |
|-----------|--|---------|

| | | |
|-----------|---|--------|
| RED63-125 | RED EXTERNAL DEBEADER 63 - 125 (Range Ø 63 - 125mm) With Spare Cutting Blade. | 1,0 kg |
|-----------|---|--------|

| | | |
|-----------|---|--------|
| RED90-400 | RED EXTERNAL DEBEADER 90 - 400 (Range Ø 90 - 400mm) With Spare Cutting Blade. | 3,0 kg |
|-----------|---|--------|

Parasols en Tenten - Parasols and Tents - Parasols et Tentes.

| | | |
|-------|--|---------|
| AFDBP | Bottom plate non-slip black 1200x1000x50mm | 14,4 kg |
|-------|--|---------|

| | | |
|---------|--|--------|
| AFDP250 | Welding Umbrella 250 cm HEAVY DUTY Incl. Transport Bag | 9,5 kg |
|---------|--|--------|

| | | |
|---------|---|---------|
| AFDT210 | Welding tent 210 x 210 x 200cm With Tent stakes & guy lines Incl. Transport Bag | 16,5 kg |
|---------|---|---------|

Verkoops Toebehoren - Sales Accessories - Accessoires de Vente.

| | | |
|----------|--------------------------------------|--|
| REINDOEK | Cleaning tissues for HDPE, PP & PVDF | |
|----------|--------------------------------------|--|

| | | |
|---------|---|--|
| REINHDL | Heavy Duty cleaner for PE, PP & PVDF 1L | |
|---------|---|--|

| | | |
|----------------|--------------------------------|--|
| MARKER-0751-SG | Pipe Marker PEN 751 Silvergrey | |
|----------------|--------------------------------|--|