

LASSCHOENEN


360°



VAST



90° - Welding



360°






Vast



a	plaatdikte	UNO	SOLO / LINK	KSB *	KSB
	Smal	86777869	-	-	-
2.8 mm	4 mm	86777864	-	-	-
4.2 mm	6 mm	86777860	86777819	-	-
5.6 mm	8 mm	86777861	86777820	-	-
7 mm	10 mm	86777862	86777821	86777821	86777839
8.4 mm	12 mm	86777863	86777822	86777822	86777840
10,5 mm	15 mm	-	86777823	86777823	86777841
14 mm	20 mm	-	86777824	86777824	86777842
17,5 mm	25 mm	-	86777825	86777825	86777843
21 mm	30 mm	-	86777826	86777826	86777844
24,5 mm	35 mm	-	-	86777827	86777845
28 mm	40 mm	-	-	86777828	86777846

* adapter 81567801 nodig (vast naar 360°) -> zie specials



		360°			Vast
					
V-las plaatdikte	X-las plaatdikte	UNO	SOLO / LINK	KSB *	KSB
6 mm	12 mm	86777865	-	-	-
8 mm	16 mm	86777866	86777829	86777829	86777847
10 - 12 mm	20-25 mm	86777867	86777830	86777830	86777848
15 mm	30 mm	-	86777831	86777831	86777849
20 mm	40 mm	-	86777832	86777832	86777850
25 mm	50 mm	-	-	-	86777851
30 mm	60 mm	-	-	-	86777852
35 mm	70 mm	-	-	-	86777853
40 mm	80 mm	-	-	-	86777854

* adapter 81567801 nodig (vast naar 360°) -> zie specials

Conical




360°











a	UNO	SOLO / LINK / KSB
8 mm	76779233B *	-
11 mm	86777868	-
14 mm	-	86777818
20 mm	-	83777817

* model wijkt af van de tekening

Buitenhoek



S	SOLO / LINK / KSB
8 mm	86777870
10 mm	86777871
12 mm	86777872
15 mm	86777873

Specials	Info	UNO	SOLO / LINK	KSB
	L= 6 cm	-	86777818	86777818
	L = 18 cm	-	83777817	83777817
	45° support (zonder lasschoen)	-	80047830	80047830
	90° support (zonder lasschoen)	-	80047820	80047820
	Onbewerkt 39x37x30mm	86777875	86777812	86777812
	Geotextile	-	86777814	86777814
	Adapter Vast -> 360°	-	-	81567801
	Adapter Vast *	-	-	81567800

* Uitblaasmond apart te bestellen

bij gebruik
adapter
81567800

Uitblaasmond voor vaste luchtaansluiting



Breedte	KSB
18 mm	78947844C
25 mm	78947854C
32 mm	78947864C
48 mm	78947874C